



**PREMIUM QUALITY
COMMERCIAL KITCHEN &
BAKERY EQUIPMENT**



equipment
with
heart



Our Brands



Exclusive Dealer



Authorised Dealer



Display Food Warmers



SMALL
Power : 910W
Size : 660x480x600mm



BIG
Power : 1300W
Size : 940x480x620mm



IMPORTED

DOUBLE LAYER
Power : 300W
Size : 550x400x420mm

Two Door



Two Door (Small)
Power : 1500W
Size : 660x480x640mm



Two Door (Big)
Power : 1800W
Size : 900x480x640mm

Round Glass (Luxury)



SMALL
Power : 1500W
Size : 660x530x590mm

Vertical Round Glass



SMALL
Power : 850W
Size : 350x425x550mm



BIG
Power : 850W
Size : 350x425x730mm



JUMBO
Power : 1000W
Size : 660x450x520mm



BIG
Power : 1800W
Size : 900x530x590mm

Sandwich Grillers



Griller - Small
 Size : 305x395x210mm
 Power : 1.8Kw
 Voltage : 220V



Griller - Small Double
 Size : 575x395x210mm
 Power : 1.8Kw+1.8Kw
 Voltage : 220V



Griller - Big
 Size : 425x395x210mm
 Power : 2.2Kw
 Voltage : 220V



Griller - Big Double
 Size : 845x395x210mm
 Power : 2.2Kw+2.2Kw
 Voltage : 220V



Sandwich Griller (Patty Type)



Power : 1.5Kw
 Size : 435x410x290mm

Crepe Machine



Power : 3.0Kw
 Size : 520x450x220mm

Wrap Griller



Size : 305x395x210mm
 Power : 1.8Kw
 Voltage : 220V

Plain Griller



Size : 425x395x210mm
 Power : 2.2Kw
 Voltage : 220V



Chocolate Fountains



Semi Professional

Professional (5 Layer)

Professional (6 Layer)

Semi Professional

Power : 210W
Temp : 40-60°C
Size : 33x60cm (Height)

Professional (5)

Power : 230W
Temp : 30-150°C
Size : 33x68cm (Height)

Professional (6)

Power : 280W
Temp : 30-150°C
Size : 36x82cm (Height)

Chocolate Tempering Machine



Power : 400w
Capacity : 5 ltrs.
Temp. Range : 30-90°C
Size: 420x320x470mm

Power : 600w
Capacity : 10 ltrs.
Temp. Range : 30-90°C
Size: 420x320x600mm

Chocolate Warmers - Digital



1.5 ltr.
Power : 250W
Specs : 1.5 ltrs.
Size : 280x180x295mm



1.5x2 ltr.
Power : 250W
Specs : 1.5x2 ltrs.
Size : 345x285x295mm



3 ltr.
Power : 250W
Specs : 3 ltrs.
Size : 345x285x295mm

Non-Digital



1.5x2 ltr.
Power : 300W
Specs : 1.5x2 ltrs.
Size : 310x410x220mm

Sauce Pump



1 Tank
Cap. : 2.2 ltrs.
Size : 140x260x370mm

2 Tank

Cap. : 2.2 ltrs. x 2
Size : 260x260x370mm



Hot Chocolate Dispensers



1 Tank
Cap. : 2.35 ltrs.
Power : 150w
Size : 265x400x370mm

2 Tank

Cap. : 2.35 ltrs. x 2
Power : 300w
Size : 500x400x370mm



Milk Warmer

SS-304 GRADE WATER COMPARTMENT

SS-304 GRADE MILK VESSEL

INDIRECT HEATING



SMALL

Power : 2000W
 Size : 315x490mm
 Capacity of milk : 8 Ltrs.
 Capacity of water : 25 Ltrs.




BIG

Power : 1500W
 Size : 450x350x540mm
 Capacity : 12 Ltrs.

Fly Catcher

Power : 18W
 Size : 53.5x32x12.5mm



Drink Mixer

Power : 400W
 Size : 295x255x530mm



Power : 800W
 Size : 330x160x500mm



Sauce Dispenser

SS-304

Size: 1/2 oz., 1/3 oz., 2/3 oz., 1 oz.



Ice Crushers With Copper Motor



Eco

Power : 300W
Size : 325x200x300mm



Semi Deluxe

Power : 250W
Size: 360x290x310mm



Deluxe

Power : 300W
Size: 390x290x340mm



PI-300 HD

Power : 350W
Size: 420x210x695mm



PI-300 FD

Power : 300W
Size: 430x260x310mm



Juicers



Citrus

Power : 180W



Centrifugal

Power : 1400W
Size : 350x270x465mm



Heavy Duty

Power : 370W
Output : 90-100 kg/hr.
Size : 360x285x420mm

Heavy Duty Big

Power : 550W
Output : 100-120 kg/hr.
Size : 430x350x450mm



Ice Shaver



Power : 180W
Size: 375x280x435mm

Ice Cutter



Power : 300W
Output : 120 kg/hr.
Size : 285x380x520mm

Ice Crusher with Bin



Power : 350W
Output : 300 kg/hr.
Size : 470x360x850mm

ELECTRIC BAKING OVENS



**1 Deck
1 Tray**
electric baking oven

YCD-1D
Power : 4.4Kw/220V
Size : 915x700x400mm



**1 Deck
1 Tray**
with digital temperature control

**YCD-1DT
(with SS body)**
Power : 4.4Kw/220V
Size : 915x700x400mm

**1 Deck
2 Tray**
electric baking oven



YCD-2D
Power : 6.6Kw/220V
Size : 1210x810x520mm



**1 Deck
2 Tray**
electric baking oven (Digital)

**YCD-2D
(Digital Touch Pad)**
Power : 6.6Kw/220V
Size : 1210x810x520mm

WITH DIGITAL TIMER
88:88

**1 Deck
3 Tray**
electric baking oven

YCD-3D
Power : 9.0Kw/440V
Size : 1610x810x520mm



**1 Deck
2 Tray**
electric baking oven (SS body)



**YCD-2D (full SS)
(with Full Glass Door)**
Power : 6.6Kw/220V
Size : 1210x810x520mm

WITH DIGITAL TIMER
88:88

WITH NEW DIGITAL PANEL

**2 Deck
2 Tray**
electric baking oven

WITH DIGITAL TIMER
88:88



WFF-202D
Power : 8.8Kw/220V
Size : 915x700x800mm

**2 Deck
4 Tray**
electric baking oven

WITH DIGITAL TIMER
88:88



YCD 2-4D
Power : 13.2Kw/440V
Size : 1210x810x1280mm

**3 Deck
6 Tray**
electric baking oven

WITH DIGITAL TIMER
88:88



YCD 3-6D
Power : 19.8Kw/440V
Size : 1210x810x1500mm

WITH NEW DIGITAL PANEL

Electric Baking Oven with Steamer

YCD-2D
Power : 7.0Kw/220V
Size : 1210x860x520mm

YCD 2-4D
Power : 14.0Kw/440V
Size : 1210x860x1280mm



WITH NEW DIGITAL PANEL

Convection Oven (with spray)

ECO-1A
Power : 2.65Kw/220V
Size : 665x620x470mm



GAS BAKING OVENS



**1 Deck
1 Tray**
gas baking oven



**YQC-1D (full SS)
(With Full Glass Door)**
Power : 100W
Size : 1000x760x580mm

**1 Deck
2 Tray**
gas baking oven



YQC-2D
Power : 100W
Size : 1330x895x680mm

**1 Deck
2 Tray**
gas baking oven (SS body)



**YQC-2D (full SS)
(With Full Glass Door)**
Power : 100W
Size : 1330x895x680mm

**1 Deck
2 Tray**
gas baking oven (Digital)



YQC-2DD (Digital)
Power : 100W
Size : 1330x895x680mm

**1 Deck
3 Tray**
gas baking oven



YQC-3D
Power : 100W
Size : 1780x900x710mm

WITH
NEW
DIGITAL PANEL

**2 Deck
4 Tray**
gas baking oven



YQC 2-4D
Power : 200W
Size : 1330x895x1460mm

**2 Deck
6 Tray**
gas baking oven



YQC 2-6D
Power : 200W
Size : 1780x985x1500mm

**3 Deck
6 Tray**
gas baking oven



YQC 3-6D
Power : 300W
Size : 1330x895x1735mm

**3 Deck
9 Tray**
gas baking oven



**YQC 3-9D
(Full SS Body)**
Power : 300W
Size : 1780x995x1735mm

WITH
NEW
DIGITAL PANEL





BAKING OVENS (SS 304 BODY)



YCD-2DH
(1 Deck - 2 Tray)
Power : 6.6Kw/220V
Size : 1250x820x565mm



YCQ-2DH
(1 Deck - 2 Tray)
Power : 100w/220V
Size : 1330x860x675mm



YCD 2-4DH
(2 Deck - 4 Tray)
Power : 13.2Kw/440V
Size : 1250x820x1300mm



YCQ 2-4DH
(2 Deck - 4 Tray)
Power : 200w/220V
Size : 1330x860x1495mm

Gas Baking Ovens with Steamer

YCD-2D
Power : 1.3Kw / 220V
Size : 1330x1000x680mm



BAKING OVENS WITH PROOFER (ELECTRIC) - Full SS

**1 Deck
2 Tray**
baking oven
with proofer



YCD-2DP
Power : 9.4Kw/440V
Size : 1220x850x1520mm

**2 Deck
4 Tray**
baking oven
with proofer



YCD 2-4DP
Power : 16Kw/440V
Size : 1220x850x2080mm

BAKING OVENS WITH PROOFER (GAS) - Full SS

**1 Deck
2 Tray**
baking oven
with proofer



YCQ-2DP
Power : 2.8Kw
Size : 1340x900x1620mm

**2 Deck
4 Tray**
baking oven
with proofer



YCQ 2-4DP
Power : 2.8Kw
Size : 1340x900x2120mm

ELECTRIC PROOFER



WFF-6B



WFF-13B



WFF-26B

**WFF-6B
(6 Tray)**
Power : 2.6Kw/220V
Size : 500x680x1100mm

**WFF-13B
(13 Tray)**
Power : 2.6Kw/220V
Size : 500x680x1800mm

**WFF-26B
(26 Tray)**
Power : 2.8Kw/220V
Size : 1000x680x1800mm

Planetary Mixers (Normal Series)



B5

B10

B15

B20

B25

B30



Model	Capacity		Voltage (V)	Power (W)	Weight (Kg)
	Vol.(Ltr)	Max. Kneeding (Kg)			
B-5	5	0.5	220	220	18
B-10	10	1.5	220	500	60
B-15	15	2.0	220	500	72
B-20	20	5.0	220	1100	85
B-25	25	6.5	220	1250	90
B-30	30	8.0	220	1250	95

Planetary Mixers (Deluxe Series)



B-5 Dlx

B-7 Dlx

B-10 Dlx

B-20 Dlx

B-30 Dlx

B-40 Dlx

Model	Capacity		Voltage (V)	Power (W)	Weight (Kg)
	Vol.(Ltr)	Max. Kneeding (Kg)			
B-5 Dlx	5	0.5	220	300	25
B-7 Dlx	7	0.8	220	500	40
B-10 Dlx	10	1.0	220	450	56
B-20 Dlx	20	5.0	220	750	80
B-30 Dlx	30	8.0	220	1100	90
B-40 Dlx	40	10.0	220	1100	150



Spiral Mixers (Deluxe)



DH-8



DH-20



DH-30



DH-50



YQ-S60

DH-100
(with timer)

Spiral Mixer (Normal)



H-50

Spiral Mixers (Tilting)



DH - 20AT / 30AT / 40AT

Spiral Mixers (Digital)



HS-50D

Model	Capacity		Voltage (V)	Power (W)	Weight (Kg)	Speed
	Vol. (Ltr)	Max. Kneeding (Kg)				
DH-8	8	3	220	700	36	1
DH-20	21	8	220	1100	105	2
DH-30	35	12	220	1600	108	2
DH-50	50	21	440	2200	140	2
H-50	50	20	220	2200	155	2
YQ-S60	60	25	440	2200	204	2
DH-100	100	40	440	4500	300	2
HS-50D (Digital)	66	25	440	2800	245	2
DH-20AT	20	8	440	1500	138	2
DH-30AT	30	12	440	1500	145	2
DH-40AT	40	16	440	1500	155	2

Pizza Roller

Power : 0.37Kw
Size : 540x550x650mm



Bread Slicer

Power : 250W
 Max. Qty. of slices : 1
 Thickness of slice : 12mm
 Weight : 70kg
 Size : 730x680x900mm



Can Be Used For
Jumbo Bread

Power : 370W
 Max. Qty. of slices : 31
 Thickness of slice : 12mm
 Weight : 70kg
 Size : 560x780x800mm
SS Body



Dough Divider

Dough Weight : 30-100 gms
 Power : 500w
 Size : 520x420x1230mm



Dough Sheeter



LSP-380A
 Power : 1100W
 Weight : 225kg
 Size : 2000x780x1030mm



PI-MT-300
 Power : 120W
 Weight : 80kg
 Size : 1420x680x550mm



LSP-520A
 Power : 750W
 Weight : 260kg
 Size : 2460x880x1240mm



TSP-380
 Power : 400W
 Weight : 90kg
 Size : 2000x770x580mm



TSP-520
 Power : 750W
 Weight : 240kg
 Size : 2460x880x650mm



Waffle Baker



Round

Power : 1.2Kw
Size: 250x430x250mm



Round Double

Power : 1.2Kw
Size: 250x430x250mm



Square 2210

Power : 2.0Kw
Size: 410x305x240mm



Square 2210D

Power : 2.0Kw
Size: 445x345x240mm



Rotary (Round)

Power : 1.3Kw
Size: 490x250x350mm



Rotary (Double)

Power : 2.6Kw
Size: 490x500x350mm



Rotary (Round, Digital)

Power : 1.2Kw
Size: 430x360x290mm



Rotary (Square, Digital)

Power : 1.2Kw
Size: 430x360x290mm



Bubble Waffle

Power : 1.2Kw
Size: 420x225x290mm



Grid Waffle

Power : 1.55Kw
Size : 435x410x305mm



Candy Waffle (Butterfly)

Power : 1.75Kw
Size : 450x350x280mm



Candy Waffle (Round)

Power : 1.55Kw
Size : 410x395x305mm



Candy Waffle (Pine)

Power : 1.75Kw
Size : 450x350x280mm



Waffle Maker (Heart)

Power : 1.3Kw
Size : 390x250x260mm

Waffle Cone Baker



PI-2209D
(Digital)

Power : 1750W
Size : 420x310x240mm



Square

Power : 1.75Kw
Size: 410x305x240mm

Churros Maker



Power : 1.55Kw
Size: 390x340x245mm

Donut Maker



Power : 1.55Kw
Size : 360x330x245mm

Candy Floss



Eco

Power : 1.20Kw
Size: 500x500x480mm




Deluxe

Power : 1.30Kw
Size: 520x520x500mm

Potato Twister



Manual



Motorised

Pan Cake Maker




Round Shape

Power : 850w
Size: 375x300x170mm

Pass Through Warmer



Power : 800w
Size: 690x630x740mm



Power : 1.6kw
Size: 1100x630x740mm

Burger Waffle Machine

Power : 1300w
Size: 470x250x300mm





Deep Fryers (Electric)

Model	Specification	Cap. (Ltr.)	Power (Kw.)	Voltage (V)	Size (mm)
PI-4L	1 Tank	4	2	220	191x420x270
EF-6L (Digital)	1 Tank	6	2.5	220	410x265x290
PI-81	1 Tank	5.5	2	220	230x420x310
PI-6L	1 Tank	5.5	2	220	230x420x310
PI-6L-2	2 Tank	11	2+2	220	440x430x310
PI-18A	1 Tank	11	5	220	440x430x310
PI-8L	1 Tank	8.5	3.1	220	290x460x360
PI-8L-2	2 Tank	17	3.1+3.1	220	580x460x360
EF-101V	1 Tank	10(V)	3.0	220	280x460x325
EF-102V	2 Tank	20(V)	3+3	220	570x460x325
EF-131	1 Tank	13(V)	3.3	220	325x505x355
EF-132V	2 Tank	26(V)	3.3+3.3	220	630x505x355
EF-161V	1 Tank	16(V)	3	220	330x525x355
EF-162V	2 Tank	16 (V)	3+3	220	640x525x355
EF-171V	1 Tank	15	3	220	295x560x350



PI 4L

PI 18A

PI 8L



PI 6L



EF 6L (DIGITAL)



PI 6L 2
PI 8L 2



EF 102V
EF 132V
EF 162V



EF 101V
EF 131V
EF 161V



EF 171V

Deep Fryers with Cabinets

Model	Electric Single	Electric Double	Gas Single	Gas Double
Specification	1 Tank	2 Tank	1 Tank	2 Tank
Cap. (Ltr.)	16	16+16	18	18+18
Power (Kw.)	5 Kw	5 Kw+5 Kw	-	-
Voltage (V)	220	220	-	-
Size (mm)	340x530x940	345x925x945	342x585x1025	680x615x1085



Deep Fryers (Gas)

Model	Specifications	Cap. (Ltr.)	Size (mm)
Single	1 Tank	6	290x540x470
Double	2 Tank	6+6	570x540x470



Single



Double



Conveyor Slice Toasters



TT-150

Power : 1.3Kw
Size: 290x420x390mm



TT-300

Power : 2.2Kw
Size: 370x420x390mm



TT-A150

Power : 1.3Kw
Size: 290x420x390mm



TT-A300

Power : 2.2Kw
Size: 370x420x390mm

Slice Toaster



4 Slice

Power : 1800W
with timer



6 Slice

Power : 2500W
with timer

Salamanders



936

Power : 4Kw/220V
Size: 645x320x280mm



936

Power : 2.2Kw/220V
Size: 645x320x280mm



938

Power : 2.2Kw/220V
Size: 610x400x380mm



937

Power : 4Kw/220V
Size: 840x465x490mm



450

Power : 2.8Kw/220V
Size: 510x480x520mm



600

Power : 4Kw/220V
Size: 570x480x520mm



Hamburger Warmer



Power : 700W/220V
Size: 400x440x300mm



Power : 2Kw/220V
Size: 410x700x300mm

Shawarma Machines



Electric (Small)
Power : 6Kw
Size : 670x540x780mm



Electric (Big)
Power : 9Kw
Size : 670x540x1015mm



2 Burner
Size : 670x540x670mm



3 Burner
Size : 670x540x840mm



4 Burner
Size : 670x540x1015mm

GAS RANGE

Rotisserie



ELECTRIC
Power : 4.7Kw
Size : 810x660x640mm

Gas Bar-be-que (Lava Rock)




Skewers
(Optional)



Size : 680x570x370mm
Fuel Used : LPG GAS

Bar-be-que



Motorized Rotisserie

Power : 14w
Size : 1210x480x280mm
Fuel Used : COAL

Conveyor Pizza Oven



VPS-8A

Belt Size: 12"
Power: 5.8Kw
Size: 1500x600x430mm

VPS-8B

Belt Size: 18"
Power: 7.7Kw
Size: 2080x760x430mm

Stone Pizza Oven (Gas)



(Full SS Body)

Power : 100W
Product Size : 1000x760x580mm
Stone Size : 600x400x15mm



WITH
NEW
DIGITAL PANEL

Stone Pizza Oven (Electric)

JUMBO



(Full SS Body)

Power : 6.6Kw
Product Size : 1210x810x520mm
Stone Size : 850x625x15mm



WITH
NEW
DIGITAL PANEL



Power : 800W
Size: 400x460x830mm

Sugarcane Juicer



Power : 800W
Size: 400x460x630mm



Mini Pizza Maker

Power : 2000w
Size : 570x335x170mm
Diameter : 120mm



STONE PIZZA OVENS (ELECTRIC)

(* ALL SIZES ARE IN MM)



Stone Pizza Oven Small (Full SS)
Stone Size : 400x400x15mm | Power : 1.6Kw



Stone Pizza Oven Small Double Deck (Full SS)
Stone Size : 400x400x15mm x 2 | Power : 2.4Kw



Stone Pizza Oven Medium (Full SS)
Stone Size : 500x500x15mm | Power : 2.0Kw



Stone Pizza Oven Medium Double Deck (Full SS)
Stone Size : 500x500x15mm x 2 | Power : 3Kw



Stone Pizza Oven Large (Full SS)
Stone Size : 600x600x15mm | Power : 2.2Kw




Stone Pizza Oven Large Double Deck (Full SS)
Stone Size : 600x600x15mm x 2 | Power : 3.3Kw



Stone Pizza Oven Big Double Deck (Full SS)
Stone Size : 425x625x15mm (2)
Power : 6.0Kw

Product Size: 875x600x700mm



Stone Pizza Oven Big Single Deck (Full SS)
Stone Size : 425x625x15mm | Power : 3Kw

Veg Choppers



AQXP5


Power : 0.55Kw/220V
Bowl Dia - 350 mm
Size : 525x420x536mm



QS620B

Power : 1.1Kw/220V
Size : 775x710x940mm

Veg Cutter



HCL-300

5 Blades » 7 Blades » 8 Blades
Power : 550W
Size : 560x290x560mm



5 BLADES - SLICING & SHREDDING
7 BLADES - SLICING, SHREDDING & DICING
8 BLADES - SLICING, SHREDDING, DICING & FRENCH FRIES

Meat Mincers

#12

#22

#12

#22



MG-12

SS Body
Power : 800W
Cap : 100 Kg./Hr.



SXC-12

Inner & Outer Body full SS
Power : 650W
Cap : 120 Kg./Hr.



SXC-22

Inner & Outer Body full SS
Power : 1100W
Cap : 150 Kg./Hr.



HFM-12

SS-304 Body
Power : 800W
Capacity : 190 Kg./Hr.



HFM-22

SS-304 Body
Power : 1100W
Capacity : 230 Kg./Hr.

Meat Slicer



Dia of blade : 195mm/250mm
Slicing Thickness : 0.2-12mm
Width : 150mm | Power : 120W
Size : 520x420x380mm

Sausage Filler

SF-5L

Capacity : 5 Ltr.
Size: 300x260x620mm

SF-7L

Capacity : 7 Ltr.
Size: 300x260x720mm



Bone Saw (SS Body)



Power : 750W
Length : 1650mm
Dia : 210mm Size: 530x515x955mm

Griddle Plates (Gas)



718

Gas Griddle Plate
Size: 550x510x425mm



720

Gas Griddle Plate
Size: 730x560x430mm



722

Gas Griddle Plate
Size: 730x560x430mm



Griddle Plates (Electric)



818

Plain Griddle Plate (Small)
Power : 3Kw / 220V
Size: 550x450x235mm



821

Grooved Griddle Plate (Small)
Power : 3Kw / 220V
Size: 550x450x235mm



818-2

Half Grooved Griddle Plate (Small)
Power : 3Kw / 220V
Size: 550x450x235mm



820

Plain Griddle Plate (Big)
Power : 4.4Kw / 220V
Size: 730x520x235mm




822

Half Grooved Griddle Plate (Big)
Power : 4.4Kw / 220V
Size: 730x520x235mm



750

Plain Griddle Plate (Jumbo)
Power : 4.4Kw / 220V
Size: 750x520x310mm



PI-1000S

Plain Griddle Plate
Power : 6 (3+3) Kw / 220V
Size: 1000x500x230mm

Hotdog Machine

Power : 2.2Kw
Size: 590x405x510mm
● 9 Rollers
● Round glass (optional)
● Warming Cabinet



Power : 1.4Kw
Size : 585x345x405mm
● 7 Rollers



Bain Marie



2 Bowl
1/2x2
Power : 1.5Kw
Size : 553x335x300mm



3 Bowl
1/3x3
Power : 1.5Kw
Size : 553x335x300mm



4 Bowl
1/2x4
Power : 2Kw
Size : 750x680x275mm



6 Bowl
1/3x6
Power : 2Kw
Size : 750x680x275mm



3 Bowl (with glass)
1/2x3
Power : 1.5Kw
Size : 970x418x190mm



4 Bowl (with glass)
1/2x4
Power : 1.5Kw
Size : 1240x418x190mm



5 Bowl (with glass)
1/2x5
Power : 1.8Kw
Size : 1500x418x190mm

Coffee Warmer



Power : 160w
Size : 380x200x40mm

Nachos Warmer



Power : 300w
Size : 405x395x555mm

Glass Displays



Capacity : 25 ltrs.
Size : 554x376x311mm



Capacity : 45 ltrs.
Size : 554x376x376mm

Corn Steamer

Power : 2500w



Electric Bar-be-que

Power : 3Kw
Size : 600x480x230mm



Momo Steamer



Power : 1500w
Size of pan: 34 cms
Layers : 2



Power : 4200w
Size of pan: 47 cms
Layers : 4



Power : 1000w
Size : 360x430x750mm

Popcorn Machines



Popcorn Machine Big

Power : 1.7Kw
 Size: 900x420x760mm
 Capacity : 16 oz.



Popcorn Machine ECO

Power : 1.3Kw
 Size: 560x420x680mm
 Capacity : 8 oz.



Popcorn Machine Deluxe

Power : 1.35Kw
 Size: 560x420x770mm
 Capacity : 8 oz.



Popcorn Display Warmer

Power : 1.3Kw
 Size: 470x450x460mm
 Capacity : 70 ltrs. with 2 compartments



Popcorn Cart

(Only for 8 oz. machines)



Popcorn Machine (GAS)

Power : 50w
 Size: 515x395x700mm
 Capacity : 8 oz.



Kitchen Timer

Power : 3W
 No. of Channels : 6
 Size: 200x130x35mm

Water Boilers

(with SS-304 Inner Layer)



Cup Warmer



WB-10
Power : 1600W
Volume : 10 Ltrs.
Size: 275x275x530mm

WB-20
Power : 1800W
Volume : 20 Ltrs.
Size: 325x325x635mm

WB-25
Power : 1800W
Volume : 25 Ltrs.
Size: 325x325x635mm

WB-40
Power : 2500W
Volume : 40 Ltrs.
Size: 385x485x635mm

WB-30
Power : 2500W
Volume : 30Ltrs.
Size: 390x390x420mm

Power : 140W
Size: 320x320x545mm

Plate Warmer (Imported)



Capacity : 50 Plates
Power : 400W
Size : 500x580x960mm

Capacity : 100 Plates
Power : 800W
Size : 500x1050x960mm

Plate Warmer (Under Counter Type)



Capacity : 50 Plates
Power : 500W

Plate Warmer (Table Top)



Capacity : 50 Plates
Power : 210W
Size : 395x430x695mm



Soup Kettles



SB-6000
MS Body
Power : 400W
Capacity : 10Ltr.
Size: 340x340x395mm



SB-6000S
SS Body
Power : 400W
Capacity : 10Ltr.
Size: 340x340x395mm



SB-6000L
MS Body & Digital
Power : 400W
Capacity : 10Ltr.
Size: 340x340x395mm



ECO
MS Body
Power : 400W
Capacity : 10Ltr.
Size: 350x350x380mm



Food Warmers



1 LAMP with PAN

Power : 250W
Size : 465x590x720mm



SINGLE LAMP with Base

Power : 650W
Size : 730x580x550mm



GLASS - 2 LAMP

Power : 1000W
Size : 780x530x700mm



GLASS - 3 LAMP

Power : 1400W
Size : 1070x530x700mm



LUXURY - 2 LAMP STONE

Power : 800W
Size : 550x500x750mm



LUXURY - 2 LAMP (Glass)

Power : 500W
Size : 600x750x730mm



2 LAMP (Single Slot)

Power : 1100W
Size : 500x700x650mm



2 LAMP (Double Slot)

Power : 1100W
Size : 500x700x650mm



SINGLE LAMP without Base

Power : 650W
Size : 730x580x550mm

HANGING LAMPS



Power : 250W
Retractable size range
400-1500mm



Power : 250W
Diameter Φ : 190mm
Height : 600-1800mm

Potato Peeler



TP-350
(SS 304 Body)
 Power : 1100w/220V
 Capacity : 75kg/hr.
 Size : 686x500x852mm



TP-450
(SS 304 Body)
 Power : 1500w/220V
 Capacity : 110kg/hr.
 Size : 742x582x960mm

Patty Press



Size : 235x230x275mm

Tomato Slicer



Pasta & Noodle Boiler



4 Basket
 Power : 4Kw
 Size : 600x465x280mm
 Baskets : 4

Roaster

Power : 3Kw
 Size : 460x435x520mm



Food Dehydrator



10 Trays
 Power : 800W
 Trays : 10
 Tray Size : 300x280mm
 Temp. Range : 30-90°C
 Size : 345x395x427mm



16 Trays
 Power : 1500W
 Trays : 16
 Tray Size : 400x380mm
 Temp. Range : 30-90°C
 Size : 465x570x670mm

Softy Machines

Power : 1.95Kw
Output : 20-25 Ltr./Hr.
Size : 540x720x850mm
Refrigerant : R-404A
Flavours : 2+1



Power : 1.95Kw
Output : 20-25 Ltr./Hr.
Size : 540x720x1380mm
Refrigerant : R-404A
Flavours : 2+1



with Pre Cooling Compressor

Power : 1.95Kw
Output : 20-25 Ltr./Hr.
Size : 540x720x1380mm
Refrigerant : R-404A
Flavours : 2+1

FULL SS BODY - ECO

Power : 1.85Kw
Output : 16-18 Ltr./Hr.
Size : 540x705x1177mm
Refrigerant : R-410A
Flavours : 2+1



Power : 1.50Kw
Output : 16-18 Ltr./Hr.
Size : 500x790x850mm
Refrigerant : R-410A
Flavours : 1



SINGLE FLAVOUR



Ice Cube Machine



MQ-20

Prod. Cap. : 20Kg/24Hr
Storage Cap. : 13Kg
Power : 320W
Size : 415x500x750mm



MQ-40

Prod. Cap.: 40Kg/24Hr
Storage Cap. : 18Kg
Power : 420W
Size : 510x550x750mm




MQ-60

Prod. Cap.: 60Kg/24Hr
Storage Cap. : 40Kg
Power : 580W
Size : 700x580x990mm

Ice Cube Machine (Table top)



Power : 105W
Productivity : 16kg/24hr.
Size : 390x265x364mm



Cold Juice Dispensers (Refrigerated)

with mixer



1 Tank

Capacity : 18 Ltr.
Power : 300W/220V
Size: 470x450x710mm



2 Tank

Capacity : 2x18 Ltr.
Power : 300W/220V
Size: 470x450x710mm



3 Tank

Capacity : 3x18 Ltr.
Power : 350W/220V
Size: 750x470x740mm



1 Tank

Capacity : 12 Ltr.
Power : 200W/220V
Size: 360x470x720mm



2 Tank

Capacity : 2x12 Ltr.
Power : 200W/220V
Size: 360x470x720mm



3 Tank

Capacity : 3x12 Ltr.
Power : 460W/220V
Size: 610x460x710mm



2 Tank

Capacity : 2x9 Ltr.
Power : 200W/220V
Size: 360x470x720mm



Slush Machines



(1 Tank)



(2 Tank)

1 Tank

Jar Capacity : 15 ltrs./jar
Power : 500w
Size : 430x500x750mm

2 Tank

Jar Capacity : 15 ltrs./jar
Power : 700w
Size : 480x630x840mm



Fried Ice Cream Machine



Power : 1200W
Pan Size : 500x500x20mm
Size : 620x760x1200mm

TABLE TOP  COLD DISPLAY

Pastry Display



ECO
Capacity : 100 ltrs.
Power : 195w/220V
Size : 705x472x687mm



DELUXE
Capacity : 120 ltrs.
Power : 160w/220V
Size : 695x470x685mm




DELUXE (Big)
Capacity : 160 ltrs.
Power : 250w/220V
Size : 880x468x686mm

Power : 150w/220V
Size : 1309x395x375mm
GN Pans : 5 nos.
Refrigeration Temperature (C) : 0-12

Sushi Showcase

Power : 180w/220V
Size : 1307x450x330mm
GN Pans : 5 nos.
Refrigeration Temperature (°C) : 0-12



Cold Display

Power : 110w/220V
Size : 695x882x417mm



Ice Cream Counter

Capacity : 8x1/6GN pan
Defrost : AUTOMATIC
Power : 140w/220V
Size : 805x670x360mm



Bottle Fridge

Power : 180w/220V
Size : 428x386x960mm



Cake Display

Power : 190w/220V
Size : 504x504x1060mm



Salad Counters



5 PAN
Capacity : 5x1/3GN pan
Power : 125w/220V
Size : 1200x395x225mm

7 PAN
Capacity : 7x1/3GN pan
Power : 125w/220V
Size : 1500x395x225mm

Commercial Inductions



Power : 3.5Kw
Size: 420x330x100mm




Power : 3.5Kw
Size: 420x330x100mm




Power : 5Kw
Size: 400x500x270mm



Power : 5Kw
Size: 500x380x200mm



Power : 5Kw
Size: 500x380x200mm



Commercial Induction Wok

PI-8CP-02

Power : 8kW
Size : 800x900x1200mm

PI-12CP-02

Power : 12kW
Size : 800x900x1200mm



Commercial Induction Stock Pot Plate

PI-8CW-02

Power : 8kW
Size : 650x750x1200mm

PI-12CW-02

Power : 12kW
Size : 650x750x1200mm



Table Top Food Warmer

PLATE

Power : 260W
Size : 565x380x75mm
Temp. Range : 0-85°C



Our Business Associates

STELLADEXIN®

SPAR MIXER
SPAR



MERRYCHEF®

CONVOTHERM®

Lincoln®

Mycook

JTC 
OmniBlend

ROWZER
PLUS

IDEAL
SINCE 1954

ITV | 
ICE makers

 Antunes
EXPECT SUCCESS

ALTO-SHAAM®

winterhalter®

& we are growing...

STELLA[®]DEXIN




POPULAR
Buffet Induction




POPULAR
Buffet Induction

with
SCHOTT CERAN[®]
GLASS



TS-678
With Anti Edge Chipping Glass
Power : 2.2Kw
Size : 316x316mm
Cutout Size : 314x314mm
Size of Control Box : 128x42mm

ENERGY SAVING
Warming at low wattage
MODE 1&2
TEMP 60°- 90°
Wattage 350W-450W



TS-678
With Anti Edge Chipping Glass
Power : 2.2Kw
Size : 316x316mm
Cutout Size : 314x314mm
Size of Control Box : 128x42mm

TABLE TOP HOUSING



TS-678



TS-22C01A

ENERGY SAVING
Warming at low wattage
MODE 1&2
TEMP 60°- 90°
Wattage 350W-450W





POPULAR
Buffet Induction



NEW POPULAR
Buffet Induction

ENERGY SAVING
Warming at low wattage
MODE 1&2
TEMP 60°- 90°
Wattage 450W-650W



TS-22C01A
With Anti Edge Chipping Glass
Power : 2.2Kw
Size : 302x374x80mm
Cutout Size : 270x345mm

TS-26C01
Power : 2.6Kw
Size : 300x450x80mm
Cutout Size : 260x410mm

STELLA[®] DEXIN



TS-3501
Power : 3.5Kw
Size : 410x380x95mm



TS-3502
Power : 3.5Kw
Size : 410x380x135mm



TS-50C01A
Power : 5Kw
Size : 350x410x105mm



TS-3501TPX
(With Food Temperature Probe)
Power : 3.5Kw
Size : 410x380x95mm



TS-30C01
Power : 3.0Kw
Size : ϕ 328xH90mm
Embedded Size : ϕ 318mm
Size of Control Box : 128x42mm




TS-21C02A
Power : 2.1Kw
Size : 400x300x40mm




TS-3503
Power : 3.5Kw
Size : 360x336x95mm
Cutout Size : 330x330mm



TS-35C06
Power : 3.5Kw
Size : 398x398x180mm
Cutout Size : 370x370mm



TS-20C08
Power : 2Kw
Size : 300x300x70mm
Size of Control Box : 128x42mm




STELLA[®] DEXIN



TS-50B1-P1

Power : 5Kw
 Size : 398x398x180mm
 Cutout Size : 370x370mm


TS-50B1-P1



TS-50B1-W2

Power : 5Kw
 Size : 398x398x180mm
 Cutout Size : 370x370mm

TS-50B1-W2



Small Induction Griddle Plate

TS-18C05

Power : 1800W
 Size : 394x389x56mm

Double Induction



TS-34C01

Power : 3.4Kw
 Size : 735x435x65mm
 Cutout Size : 680x400mm



WITH
 SCHOTT
 CERAN[®]
 GLASS



TS-32C01

Power : 3.2Kw
 Size : 290x510x80mm
 Cutout Size : 264x488mm

COMMERCIAL Infrared



TS-24R02

Power : 2.4Kw
 Size : 300x300mm
 Size of Control Box : 128x42mm



TS-24R01

Power : 2.4Kw
 Size : 390x310mm
 Cutout size : 270x290mm

STELLA[®]DEXIN

Induction Warmer



TS-200C02 MSW

Power : 2000 (1000 + 1000) W
 Size Overall : 677x510x76mm
 Cutout Size : 651x484mm
 Energy Saving : 50°-65° (3 Modes)-250-350W*
 *Approx Power Input

-  **ENERGY SAVING**
-  **DROP IN & TABLE TOP**
-  **STRONG STAINLESS STEEL BODY**
-  **MULTIPLE SENSORS - MORE VESSELS CAN BE KEPT TOGETHER**

TS-10C01W Induction Warmer


Power : 1000W
 Size : 360x360x95mm
 Cutout Size : 330x330mm
 Energy Saving : 50°-65° (3 Modes)-250-350W*
 70°-80° Output - Consumption 650-750W*
 90°-100° Output - Consumption 950-1000W*
 *Approx Power Input



Table Top Housing
(Optional)



TS-10C01W



Warming Station (Heated Surface)



DX-800R1

With Anti Edge Chipping Glass
 Power : 800W
 Size : 604x461mm
 Cutout size : 565x461mm



DX-1200R1

With Anti Edge Chipping Glass
 Power : 1200W
 Size : 902x459mm
 Cutout size : 892x449mm

STELLA[®] DEXIN



TSD-8C1

Power : 8Kw/440V
Size : 600x700mm



TSD-8A1

Power : 8Kw/440V
Size : 750x750mm



TSD-2D4

Power : 2.5Kw x 4 / 440V
Size : 760x850mm

TSD-12C1

Power : 12Kw/440V
Size : 600x700mm

TSD-12A1

Power : 12Kw/440V
Size : 750x750mm

TSD-3D4

Power : 3.5Kw x 4 / 440V
Size : 840x900mm



TS-3504DX (SS-304 Body)

Power : 3.5x4Kw/415~440V (3 Phase)
Size : 800x800x260mm



Carving Station

TS-200FW (without Heating Base)

Power : 500W
Size : 360x360x95mm
Base Size :
650 (L) x 600 (W) 70 (H) mm



TS-200FWH (with Heating Base)

Power : 1000W
Size : 360x360x95mm
Base Size :
650 (L) x 600 (W) 70 (H) mm



STELLA[®] DEXIN

Meat Mincer



TSM-22DX
 Power : 800W/220~240V
 Capacity : 220 Kg./Hr
 Size : 50x27x55cm



TSM-12DX
 Power : 800W/220~240V
 Capacity : 220 Kg./Hr
 Size : 44.3x27x50.5cm

Griddle Plate Induction



TS-24G
 Griddle Plate (Induction)
 Power : 6.0 Kw / 220V
 Size : 750x1200x450mm

- Temperature, Timer function
- Temp range : 60-250 C°
- Heat evenly and heating area reach 90% Temperature \pm 5 °C.
- Timer : 0~23 hours 59 minutes.
- Stronger thermal insulation edge design

Hanging Lamp



RETRACTABLE

TS-HL-100B
 Power : 250W/220~240V
 Diameter : 250mm
 Size : 50x27x55cm



TS-HL-100C
 Power : 250W/220~240V
 Diameter : 250mm
 Size : 50x27x55cm




NON-RETRACTABLE

TS-HL-100G-NR
 Power : 250W/220~240V
 Diameter : 250mm
 Size : 50x27x55cm



Optional Height Adjustable Rods Available



TS-HL-100C-NR
 Power : 250W/220~240V
 Diameter : 250mm
 Size : 50x27x55cm



**Mixing Tumbler
PI 211**

(Roller Type Vol. 20L)

Power : 200W / 220V
Size : 900x405x820mm



**Oil Filter
PI-302**

(Vol. 43 L)

Power : 370W / 220V
Size : 450x860x820mm



**French Fries Station
PI-426**

(With 3 Lamps)

Power : 750W / 220V
Size : 600x700x1560mm



**Electric Deep Fryer
PI 102**

(Computer Controlled Panel)
Small Double Tank Vol. 28L

Power : 18Kw / 440V
Size : 400x800x1100mm

**Holding Cabinet
PI-296**

9-Layer Stainless Steel
Basin Adjustable Temperature

Power : 2.5Kw / 220V
Tray 9 nos. : 1x1
Size : 620x870x1810mm



JTC

OmniBlend

3HP HIGH EFFICIENT MOTOR



TM 788A
Jar Capacity : 1.5 Ltr



TM 767A
Jar Capacity : 1.5 Ltr



TM 767
Jar Capacity : 2 Ltr



TM 800A
Jar Capacity : 1.5 Ltr



Now Available

Colourful Jars also



TM 800AQ
Jar Capacity : 1.5 Ltr



SPAR MIXER SPAR



SP-502B



SP-502A

WITH
DIGITAL
TIMER



SP-800B



SP-800A

WITH
DIGITAL
TIMER



SAFETY GUARD (OPTIONAL) FOR SP-502B / SP-800B



SP-200A



SP-25MA



SP-22HA



SP-30HA
SP-40HA



SP-34MA
SP-60MA



SP-34HA



Model	Capacity		Voltage (V)	Power	Weight (Kg)
	Vol.(Ltr)	Max. Kneeding (Kg)			
SP-502	5	1	220	750W	15
SP-800	8	1.2	220	1/3HP	25
SP-200A	20	6	220	1/2HP	90
SP-25MA	25	6.5	220	3/4HP	110
SP-22HA	25	6.5	220	3/4HP	120
SP-30HA	30	10	440	1HP	200
SP-34MA	40	11	440	1.25HP	220
SP-34HA	40	11	440	1.25HP	220
SP-40HA	40	11	440	1.5HP	270
SP-60MA	60	27	440	3.00HP	245
SP-60HA	60	27	440	3.00HP	285



WITH
DIGITAL
TIMER
SP-60HA

Dough Sheeter



FA-520B
 Power : ½HP
 Size : 2100x850x1100mm
 Conveyor Size : 515x2000mm



FA-450A
 Power : ½HP
 Size : 1800x760x600mm
 Conveyor Size : 430x1700mm

FA-520A
 Power : ½HP
 Size : 1800x850x600mm
 Conveyor Size : 515x1700mm



Spiral Mixers



KL-015
 Flour Capacity : 15kg
 Power : 3½ HP
 Size : 980x600x1090mm



KL-200
 Flour Capacity : 25kg
 Power : 3½ HP
 Size : 980x600x1090mm



KL-201
 Flour Capacity : 50kg
 Power : 6¼ HP
 Size : 1100x680x1175mm

Bread Slicer



TA-AL
 Blades : 31
 Thickness : 12mm
 Power : ¼HP
 Size : 740x630x740mm
 Loft Height : 140mm

TA-AXL
 Blades : 39
 Thickness : 12mm
 Power : ¼HP
 Size : 740x730x740mm
 Loft Height : 150mm

Slice upto 240 Lofts in 1hr.



ROWZER PLUS

Frozen Food Processor with Brushless Motor

Rowzer Plus

Beaker Capacity : 1 ltr.
 Max. Fill Volume 0.8L
 Air Pressure : 1 Bar
 Ideal Food Temp : -22°C / -76°F
 Nominal Power : Available in 2 versions
 220-240V, 1000W, 50/60Hz
 120V, 1000W, 60Hz
 Blade Speed : 2.000 rpm
 Size : 475x190x395mm



Mycook

The Professional Induction-Heated Kitchen Robot

My Cook 1.8

Jar Capacity : 2 ltr.
 Total Power : 1800W
 Heating Power : 1000W
 Engine : 800W
 Size : 290x350x270mm
 Blade Speed : 2.000 rpm
 Rpm : From 100 upto 11500
 Speed : 10 and Turbo Functions
 Temp. Max 120°C
 Timer : 90mins.



IDEAL



**D24 Pro
(SINGLE GROUP)**



**D24
(SINGLE GROUP)**



**La Bella
(DOUBLE GROUP)**



**IDCG8020
(COFFEE GRINDER)**
Available in 0.5 & 1kg

OPTIONAL ACCESSORIES



Weighing Scale



Tamping Matt



Temperature Pitcher



Frothing Pitcher



Descaling Powder



58mm Temper



Knock Box



RELIABILITY BUILT IN™

Equip Pre-Rinse Units



5PR-1S00

5PR-2S00

5PR-2S12

5PR-8W12

Model	Spray Valve	Spray Valve Flow Rate	Add-On Faucet	Add-On Faucet Flow Rate	Handle
5PR-1S00	5SV	4.35 L/min (1.15 GPM)	—	—	Lever
5PR-2S00	5SV	4.35 L/min (1.15 GPM)	—	—	Lever
5PR-2S12	5SV	4.35 L/min (1.15 GPM)	30 cm (12")	Full flow	Lever
5PR-8W12	5SV	4.35 L/min (1.15 GPM)	30 cm (12")	Full flow	Lever

T&S 9.5 mm (3/8") Hose Reels Enclosed and Open Models



B-7122-C01 | B-7232-01



5HR-232-01 and 5HR-242-01

B-7122-C01

- Stainless Steel enclosed 9m (30') hose reel, 9.5 mm (3/8") hose diameter, & EB-0107 high-flow spray valve

B-7232-01

- Epoxy-coated open 35' (10.7 m) hose reel, 9.5 mm (3/8") hose diameter, & EB-0107 high-flow spray valve

5HR-232-01

- Black epoxy-coated 35' (10 m), with 9mm (3/8") hose diameter, 15 L/min (4.0 GPM+) spray valve

5HR-242-01

- Black epoxy-coated 50' (15 m), with 9 mm (3/8") hose diameter, 15 L/min (4.0 GPM+) spray valve



Vertical Contact Toaster | VCT



VCT-35



VCT-2000

Specifications

Model & Mfg. No.	Pass Through Time	Volts	Watts	Amps	Hertz	Plug Description
VCT-35		208-240	2600-3460	12.5	50/60	CEE 7/7 16 Amp., 250 Volt
VCT-2000	17 sec.	220-240	3019-3593	13.7-15	50	CEE 7/7 16 Amp., 250 Volt

Dimensions

Model & Mfg. No.	Width (A)	Depth (B)	Height (C)
VCT-35	21 1/4" (540 mm)	15 1/4" (387 mm)	23 1/4" (591 mm)
VCT-2000	21 1/4" (540 mm)	15 1/4" (387 mm)	23 1/4" (591 mm)



Dial A Cup Dispensers | DAC



New design available with Metal Clips that do not leave marks or imprints on paper foam cups.



LS-30



DAC-5

Model	Item Description	Width	Depth	Height	Collar Dia.	Tube Dia.	Tube Lg.	Cup Size Range	Shipping Weight
LS-30	Three DAC-10 components and four compartments (three lids, one straws)	15" (381 mm)	24" (610 mm)	28" (711 mm)	8 1/4" (209 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	44 lbs. (20 kg)

Model	Item Description	Collar Dia.	Tube Dia.	Tube Lg.	Cup Rim Diameter	Cup Size Range (oz.)	Shipping Weight
DAC-5	Individual DAC-5 component	7 1/4" (185 mm)	5 9/16" (140 mm)	22 3/4" (578 mm)	2 3/4" to 4 1/4" (70 mm to 108 mm)	8 oz. to 32 oz.	5 lbs. (3 kg)



Rapid Steamer | RS-1000

Dimensions & Electrical Ratings

Width (A)	Depth (B)	Height (C)	Volts	Watts	Amps	Hertz
17.39" (441.7 mm)	16.86" (428.2 mm)	12.79" (324.9 mm)	200-240	5000	30	50/60



DFW Deluxe Food Warmer | DFW-150

Dimensions & Electrical Ratings

Width (A)	Depth (B)	Height (C)	Volts	Watts	Amps	Hertz
16 5/8" (422 mm)	17 1/4" (438 mm)	8 3/4" (222 mm)	230	2800	12.2	50/60



P50
Hood Type Dish Washer



C50
Conveyor Type Dish Washer / Additional Dryer



C400
Dish Washer



C500
Dish Washer



U50
Under Counter Dish Washer



ALTO-SHAAM



HEATED HOLDING CABINETS



Model 500-S
 Capacity : 6 Gn 1/1 65mm
 Dims : HxWxD
 809 x 6483 x 675 mm
 Power : 230v, 1Ph, 50/60hz
 Connected Load : 0.95 kW
 Shipping Weight : 68 Kg
 Net Weight : 50 Kg
 Includes 2 Wire Shelves



Model 750-S
 Capacity : 10 GN 1/1 65mm
 Dims : HxWxD
 809 x 676 x 797 mm
 Power : 230V, 1Ph, 50/60Hz
 Connected load : 1 kW
 Shipping Weight : 103 Kg
 Net Weight : 71 Kg
 Includes 3 wire shelves.



Model 1200-S
 Capacity : 16 GN 1/1 65mm
 Dims : HxWxD
 1117 x 671 x 817 mm
 Power : 230V, 1Ph, 50/60Hz
 Connected load : 0.88 kW
 Shipping Weight : 109 Kg
 Net Weight : 81Kg
 Includes 3 wire shelves.

Model 300-S
 Capacity : 3 Gn 1/1 65mm
 Dims : HxWxD
 466 x 443 x 645 mm
 Power : 230v, 1Ph, 50/60hz
 Connected Load : 0.8 kW
 Shipping Weight : 57 Kg
 Net Weight : 29 Kg



Model 1200-UP
 Max Capacity : Total 32 GN 1/1 65mm
 or 16 GN 1/1 65mm per compartment
 or Total 16 GN 2/1 65mm

Dims : H x W x D 1924 x 671 x 817 mm
 Power : 230V, 1Ph, 50/60Hz
 Connected load : 1.8 kW
 (3.5 kW also available)

Shipping Weight : 178 Kg
 Net Weight : 151 Kg
 Includes total 6 wire shelves



Features

- Features Halo Heat technology for precise temperatures
- Temp Range: 16°C to 93°C
- Temp Spread: 1~3 °C
- Maintains precise temperatures
- No Fan to dry out food
- 0.5Kw Energy efficient
- Vents to regulate the moisture content
- Veg / Non-Veg possible in double door units
- Optional Pass-through
- Optional Handles & Bumpers

ALTO-SHAAM®

DRAWER WARMERS



Options:

- 1, 2, 3 drawer capacity
- Wide or Narrow
- Vents or no vent
- Individual controls – 2D model only
- Made in India Models
- (500-1D (Vented), 500-2D (Vented), 500-3D (Vented), 500-1D (Non-Vented), 500-2D (Non-Vented), 500-3D (Non-Vented))



CARVING STATIONS



16 Kg Capacity



32 Kg Capacity



OUR BRANDS



AUTHORISED DEALER



EQUIPMENTS FOR

HOTELS | RESTAURANTS | SWEET SHOPS | CATERING
| CANTEENS | FAST FOOD | BAKERY | BANQUETS



PRODUCTS & IDEAS (INDIA) PVT. LTD.

28/6/5, (Opp. MCD Primary School), Badli Village, Delhi-110042 (INDIA)

9650366044, 9599890055, 9650366022, 9650366033, 9560480111

productsandideas@yahoo.co.in, info@pi-india.com | www.pi-india.com